



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

WIRE STRIPPING MACHINE SPECIFICATION



GW-DLS01

1. System Introduction

The GW-DLS series wire stripping machine launched by our company adopts original Main Cabinet and high-speed galvanometer scanning system. It delivers superior beam quality compared with conventional configurations, and features outstanding high-speed processing performance for shielding layers and insulating special wires. With zero consumables and ultra-low power consumption, the depreciation cost of the equipment is greatly reduced. Especially for long-term operation, it realizes low failure rate and maintenance-free performance, which can fully meet customers' mass-production requirements.

2. System Performance Parameters

- Average Power: 0~30 W
- continuously adjustable Wire Stripping Scope: 140 mm×140 mm
- Marking Speed: ≤7000 mm/s

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



- Minimum Line Width: 0.15 mm
- Repositioning Accuracy: ± 0.02 mm Average Power Consumption: ≤ 0.6 kW

3. System Features

- Adopt integrated monolithic structure with attractive appearance and human-oriented operation.
- High electro-optical conversion efficiency; the total power consumption of the whole machine is less than 1200 W, low-carbon and environmentally-friendly.
- Long service life, compact size, suitable for operation in harsh environments.
- Adopt computer control system and dedicated control software. The software features Windows-based interface, compatible with files exported from CorelDRAW, AutoCAD, Photoshop and other software. It supports import of PLT, DXF, BMP and other file formats.

4. Equipment Configuration

Item Name	Specification	Unit	Quantity	
Main Cabinet	30W	Set	1	
High-speed Galvanometer	Digital Galvanometer	Set	1	
Focus Lens	110×110 mm	Piece	1	
Control Software	JCZ	Set	1	
Kelingfeng	-	Set	1	
Control Card	-	Set	-	
Upright Column	500 mm	Piece	1	
Custom Upright Column	200 mm	Piece	1	

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

5.PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.


- General package(Paper carton or plastic bag): For small equipped parts for Hook Type Transformer Winding

Machine, Package it with form and pack paper to guarantee unbroken during the transport.

- Wooden case package: For larger scale Hook Type Transformer Winding

Machine,we have special skilled

carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.



WhatsApp:+86 18622096679
Web: www.coilwindingmachinechina.com

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.